ARCHITECTURAL SYMBOL LEGEND

SYMBOL	NAME	DESCRIPTION	WORKING UNITS USED TO CREATE
	ADOBE	MASONARY ADOBE RAMMED EARTH PATTERN	Master units = 1'-0" Sub units = 12" Pos. units = 8000
	ALUMIN	ALUMINUM PATTERN	Master units = 1'-0" Sub units = 12" Pos. units = 8000
	ARCPBW	ARCHITECTURAL PARTICLEBOARD	Master units = 1'-0" Sub units = 12" Pos. units = 8000
	ASBDLS	LARGE SCALE ASBESTOS BOARD	Master units = 1'-0" Sub units = 12" Pos. units = 8000
	ASBDSS	SMALL SCALE ASBESTOS BOARD	Master units = 1'-0" Sub units = 12" Pos. units = 8000
	ASHLER	STONE ASHLER PATTERN	Master units = 1'-0" Sub units = 12" Pos. units = 8000
	BATHCO	CORNER BATH	Master units = 1'-0" Sub units = 12" Pos. units = 8000
	BATHEM	EMERGENCY BATH	Master units = 1'-0" Sub units = 12" Pos. units = 8000
FB	BATHFT	FOOT BATH	Master units = 1'-0" Sub units = 12" Pos. units = 8000
	BATHHA	HYDROTHERAPY ARM BATH	Master units = 1'-0" Sub units = 12" Pos. units = 8000
	BATHHH	HYDROTHERAPY HUBBARD BATH	Master units = 1'-0" Sub units = 12" Pos. units = 8000
	BATHHL	HYDROTHERAPY LEG BATH	Master units = 1'-0" Sub units = 12" Pos. units = 8000
	BATHIF	INFANT BATH	Master units = 1'-0" Sub units = 12" Pos. units = 8000
	BATHIN	INSTITUTIONAL BATH	Master units = 1'-0" Sub units = 12" Pos. units = 8000
	BATHRC	RECESSED BATH	Master units = 1'-0" Sub units = 12" Pos. units = 8000

✳= SYMBOL CONTAINS FIELD(S) FOR ASSOCIATING TEXT

ARCHITECTURAL SYMBOL LEGEND

SYMBOL	NAME	DESCRIPTION	WORKING UNITS USED TO CREATE
	BATHRR	ROLL RIM BATH	Master units = 1'-0" Sub units = 12" Pos. units = 8000
SB	BATHSZ	SITZ BATH	Master units = 1'-0" Sub units = 12" Pos. units = 8000
	BATHWP	WHIRLPOOL BATH	Master units = 1'-0" Sub units = 12" Pos. units = 8000
	BIDET	WATERCLOSET BIDET	Master units = 1'-0" Sub units = 12" Pos. units = 8000
	BRASS	BRONZE BRASS PATTERN	Master units = 1'-0" Sub units = 12" Pos. units = 8000
	BRBLCO	COURSED BRICK BLK PATTTERN	Master units = 1'-0" Sub units = 12" Pos. units = 8000
	BRCOBD	COMMON BOND BRICK PATTERN	Master units = 1'-0" Sub units = 12" Pos. units = 8000
	BRENBD	ENGLISH BOND BRICK PATTERN	Master units = 1'-0" Sub units = 12" Pos. units = 8000
	BRFACC	COMMON BOND BRICK FACE	Master units = 1'-0" Sub units = 12" Pos. units = 8000
	BRFIRE	FIRE BRICK	Master units = 1'-0" Sub units = 12" Pos. units = 8000
	BRFLBD	FLEMISH BOND BRICK PATTERN	Master units = 1'-0" Sub units = 12" Pos. units = 8000
	BRFLCB	FLEMISH COM BOND PATTERN	Master units = 1'-0" Sub units = 12" Pos. units = 8000
	BRKCF	COMMON FACE BRICK PATTERN	Master units = 1'-0" Sub units = 12" Pos. units = 8000
	BRKELE	BRICK ELEVATION PATTERN	Master units = 1'-0" Sub units = 12" Pos. units = 8000
	BRKGL	GLAZED BRICK	Master units = 1'-0" Sub units = 12" Pos. units = 8000

✳= SYMBOL CONTAINS FIELD(S) FOR ASSOCIATING TEXT

ARCHITECTURAL SYMBOL LEGEND

SYMBOL	NAME	DESCRIPTION	WORKING UNITS USED TO CREATE
	BRRNBD	BRICK RUNNING BOND PATTERN	Master units = 1'-0" Sub units = 12" Pos. units = 8000
	BRSTBD	BRICK STACK BOND PATTERN	Master units = 1'-0" Sub units = 12" Pos. units = 8000
	BSSFLG	BLUESTN SLT SOAPSTN FLAGING	Master units = 1'-0" Sub units = 12" Pos. units = 8000
	CANWCT	CAN WASHER (CABINET TYPE)	Master units = 1'-0" Sub units = 12" Pos. units = 8000
	CANWDT	CAN WASHER (DISH TYPE)	Master units = 1'-0" Sub units = 12" Pos. units = 8000
	CARPET	CARPET AND PAD	Master units = 1'-0" Sub units = 12" Pos. units = 8000
	CCBSS	CAST CONCRETE BLOCK SMALL SCALE PATTERN	Master units = 1'-0" Sub units = 12" Pos. units = 8000
	CCELEV	CONCRETE CEMENT ELEVATION PATTERN	Master units = 1'-0" Sub units = 12" Pos. units = 8000
	CDTOP	CEMENTITIOUS DECK TOPPING PATTERN	Master units = 1'-0" Sub units = 12" Pos. units = 8000
	CMU	MASONRY UNIT	Master units = 1'-0" Sub units = 12" Pos. units = 8000
	CMUBLK	CONC BLOCK 8" X 8" X 16"	Master units = 1'-0" Sub units = 12" Pos. units = 8000
	CMUBP	CONCRETE MASONARY UNIT (CMU) BLOCK PATTERN	Master units = 1'-0" Sub units = 12" Pos. units = 8000
	CMUCOR	CONCRETE BLOCK 8" X 8" X 16" CORRUGATED	Master units = 1'-0" Sub units = 12" Pos. units = 8000
	CMUELB	ELEVATION BLOCK PATTERN	Master units = 1'-0" Sub units = 12" Pos. units = 8000
	CMUEND	CONCRETE BLOCK 8" X 8" X 16" (ENDPIECE)	Master units = 1'-0" Sub units = 12" Pos. units = 8000

✳= SYMBOL CONTAINS FIELD(S) FOR ASSOCIATING TEXT

ARCHITECTURAL SYMBOL LEGEND

SYMBOL	NAME	DESCRIPTION	WORKING UNITS USED TO CREATE
	CMUGL	GLAZED CONCRETE BLOCK	Master units = 1'-0" Sub units = 12" Pos. units = 8000
	CMUSTR	CONC BLOCK 8" X 8" X 16" STR.	Master units = 1'-0" Sub units = 12" Pos. units = 8000
	CONBLK	CONCRETE BLOCK PATTERN	Master units = 1'-0" Sub units = 12" Pos. units = 8000
	CONCCN	CONCRETE CINDER PATTERN	Master units = 1'-0" Sub units = 12" Pos. units = 8000
	CONCLW	CONCRETE LIGHT WEIGHT PATTERN	Master units = 1'-0" Sub units = 12" Pos. units = 8000
	CONCPR	PRECAST CASTIN PLACE CONCRETE PATTERN	Master units = 1'-0" Sub units = 12" Pos. units = 8000
	CONCST	CONCRETE STONE PATTERN	Master units = 1'-0" Sub units = 12" Pos. units = 8000
	CONPBS	PUMICE BLK CONCRETE SMALL SCALE PATTERN	Master units = 1'-0" Sub units = 12" Pos. units = 8000
	CPLANK	CONCRETE PLANK	Master units = 1'-0" Sub units = 12" Pos. units = 8000
	CSTIRN	CAST IRON PATTERN	Master units = 1'-0" Sub units = 12" Pos. units = 8000
	CSTSTN	CAST STONE PATTERN	Master units = 1'-0" Sub units = 12" Pos. units = 8000
	CTILSS	CERAMIC TILE SMALL SCALE PATTERN	Master units = 1'-0" Sub units = 12" Pos. units = 8000
	CUTSTN	CUT STONE PATTERN	Master units = 1'-0" Sub units = 12" Pos. units = 8000
	DFPROJ	DRINK FOUNTAN PROJECTNG TYPE	Master units = 1'-0" Sub units = 12" Pos. units = 8000
	DFRECS	DRINK FOUNTAIN RECESSED TYPE	Master units = 1'-0" Sub units = 12" Pos. units = 8000

✳= SYMBOL CONTAINS FIELD(S) FOR ASSOCIATING TEXT

ARCHITECTURAL SYMBOL LEGEND

SYMBOL	NAME	DESCRIPTION	WORKING UNITS USED TO CREATE
	DFSREC	DRINK FOUNTN SEMIRECSSD TYPE	Master units = 1'-0" Sub units = 12" Pos. units = 8000
	DOORID ✳	DOOR OPENING IDENTIFIER	Master units = 1'-0" Sub units = 12" Pos. units = 8000
	DOR18L	LEFT DOOR 180 DEGREE SWING	Master units = 1'-0" Sub units = 12" Pos. units = 8000
	DOR18R	RIGHT DOOR 180 DEGREE SWING	Master units = 1'-0" Sub units = 12" Pos. units = 8000
	DORBFL	LEFT BIFOLD DOOR	Master units = 1'-0" Sub units = 12" Pos. units = 8000
	DORBFR	RIGHT BIFOLD DOOR	Master units = 1'-0" Sub units = 12" Pos. units = 8000
	DORCPV	DOOR CENTER PIVOT	Master units = 1'-0" Sub units = 12" Pos. units = 8000
	DORCYL	CYLINDRICAL DOOR	Master units = 1'-0" Sub units = 12" Pos. units = 8000
	DORDBL	LEFT DOUBLE DOOR	Master units = 1'-0" Sub units = 12" Pos. units = 8000
	DORDBR	RIGHT DOUBLE DOOR	Master units = 1'-0" Sub units = 12" Pos. units = 8000
	DORDEL	LEFT DOUBLE EGRESS DOOR	Master units = 1'-0" Sub units = 12" Pos. units = 8000
	DORDER	RIGHT DOUBLE EGRESS DOOR	Master units = 1'-0" Sub units = 12" Pos. units = 8000
	DORFSL	LEFT SINGLE FULL SWING DOOR	Master units = 1'-0" Sub units = 12" Pos. units = 8000
	DORFSR	RIGHT SINGLE FULL SWING DOOR	Master units = 1'-0" Sub units = 12" Pos. units = 8000
	DOROVH	OVERHEAD DOOR	Master units = 1'-0" Sub units = 12" Pos. units = 8000

✳= SYMBOL CONTAINS FIELD(S) FOR ASSOCIATING TEXT

ARCHITECTURAL SYMBOL LEGEND

SYMBOL	NAME	DESCRIPTION	WORKING UNITS USED TO CREATE
	DORPOC	DOOR POCKET	Master units = 1'-0" Sub units = 12" Pos. units = 8000
	DORRUP	ROLL UP DOOR	Master units = 1'-0" Sub units = 12" Pos. units = 8000
	DORSHL	LEFT SINGLE HINGED DOOR	Master units = 1'-0" Sub units = 12" Pos. units = 8000
	DORSHR	RIGHT SINGLE HINGED DOOR	Master units = 1'-0" Sub units = 12" Pos. units = 8000
	DORSLD	SLIDING DOOR	Master units = 1'-0" Sub units = 12" Pos. units = 8000
	DORSLS	SLIDING SURFACE DOOR	Master units = 1'-0" Sub units = 12" Pos. units = 8000
	DORSPL	LEFT SINGLE PIVOT DOOR	Master units = 1'-0" Sub units = 12" Pos. units = 8000
	DORSPR	RIGHT SINGLE PIVOT DOOR	Master units = 1'-0" Sub units = 12" Pos. units = 8000
	DORUDL	LEFT UNEVEN DOUBLE DOOR	Master units = 1'-0" Sub units = 12" Pos. units = 8000
	DORUDR	RIGHT UNEVEN DOUBLE DOOR	Master units = 1'-0" Sub units = 12" Pos. units = 8000
	DSHWSH	COMMERCIAL DISHWASHER	Master units = 1'-0" Sub units = 12" Pos. units = 8000
	EARTH	COMPACTED FILL EARTHWRK PATTERN	Master units = 1'-0" Sub units = 12" Pos. units = 8000
	EQPMID ✳	EQUIPMENT IDENTIFIER	Master units = 1'-0" Sub units = 12" Pos. units = 8000
TEXT	FASTEN ✳	FASTENER (INDICATE USE)	Master units = 1'-0" Sub units = 12" Pos. units = 8000
	FIBFSF	FIBROUS FIRE SAFING PATTERN	Master units = 1'-0" Sub units = 12" Pos. units = 8000

✳= SYMBOL CONTAINS FIELD(S) FOR ASSOCIATING TEXT

ARCHITECTURAL SYMBOL LEGEND

SYMBOL	NAME	DESCRIPTION	WORKING UNITS USED TO CREATE
	FLRRPL	FLOORING RESILIENT PLASTIC LAMINATE FINISH	Master units = 1'-0" Sub units = 12" Pos. units = 8000
	FURCHH	FURRING CHANNEL HAT	Master units = 1'-0" Sub units = 12" Pos. units = 8000
	FURCHN	FURRING CHANNEL	Master units = 1'-0" Sub units = 12" Pos. units = 8000
	GLASLS	LARGE SCALE GLASS	Master units = 1'-0" Sub units = 12" Pos. units = 8000
	GLASS	STRUCTURAL GLASS PATTERN	Master units = 1'-0" Sub units = 12" Pos. units = 8000
	GLASSS	SMALL SCALE GLASS	Master units = 1'-0" Sub units = 12" Pos. units = 8000
	GLBLLS	GLASS BLOCK LARGE SCALE	Master units = 1'-0" Sub units = 12" Pos. units = 8000
	GLBLSS	GLASS BLOCK SMALL SCALE	Master units = 1'-0" Sub units = 12" Pos. units = 8000
	GLELEV	GLASS PATTERN ELEVATION VIEW	Master units = 1'-0" Sub units = 12" Pos. units = 8000
	GPLANK	GYPSUM PLANK	Master units = 1'-0" Sub units = 12" Pos. units = 8000
	GROUT	GROUT PATTERN	Master units = 1'-0" Sub units = 12" Pos. units = 8000
	GRVCRE	CRUSHED ROCK EARTH GRAVEL PATTERN	Master units = 1'-0" Sub units = 12" Pos. units = 8000
	GRVPFE	POROUS FILL GRAVEL EARTH WORK PATTERN	Master units = 1'-0" Sub units = 12" Pos. units = 8000
	GRVSCL	SAND CLAY GRAVEL PATTERN	Master units = 1'-0" Sub units = 12" Pos. units = 8000
	GYPBLK	GYPSUM BLOCK TILE	Master units = 1'-0" Sub units = 12" Pos. units = 8000

✳= SYMBOL CONTAINS FIELD(S) FOR ASSOCIATING TEXT

ARCHITECTURAL SYMBOL LEGEND

SYMBOL	NAME	DESCRIPTION	WORKING UNITS USED TO CREATE
	GYPPOM	GYPSUM PLASTER ON MASONRY	Master units = 1'-0" Sub units = 12" Pos. units = 8000
	GYPPPB	GYPSUM PLASTER PARTICLE BROARD	Master units = 1'-0" Sub units = 12" Pos. units = 8000
	GYPPPE	GYPSUM PLASTERPLAN ELEVATION PATTERN	Master units = 1'-0" Sub units = 12" Pos. units = 8000
	GYPSPP	GYPSUM SOLID PLASTER PARTITION	Master units = 1'-0" Sub units = 12" Pos. units = 8000
	GYPWBD	GYPSUM WALLBOARD FINISHES	Master units = 1'-0" Sub units = 12" Pos. units = 8000
	INFBSS	SMALL SCALE FLEXIBLE BLANKET INSULATION	Master units = 1'-0" Sub units = 12" Pos. units = 8000
	INLFLS	LARGE SCALE LOOSE FILL INSULATION	Master units = 1'-0" Sub units = 12" Pos. units = 8000
	INS1RM	INSULATION REFLECTIVE METAL ON ONE SIDE ONLY	Master units = 1'-0" Sub units = 12" Pos. units = 8000
	INS2RM	INSULATION REFLECTIVE CURTAN ON TWO SIDES	Master units = 1'-0" Sub units = 12" Pos. units = 8000
	INSFOM	SPRAY FOAM INSULATION	Master units = 1'-0" Sub units = 12" Pos. units = 8000
	INSQLT	INSULATION (LARGE SCALE) QUILT PATTERN	Master units = 1'-0" Sub units = 12" Pos. units = 8000
	INSRIG	RIGID INSULATION PATTERN	Master units = 1'-0" Sub units = 12" Pos. units = 8000
	INSSCM	SOLID CORK MAGNESIA INSULATION PATTERN	Master units = 1'-0" Sub units = 12" Pos. units = 8000
	INSTND	INSULATION (TYPE NOT DETERMINED) LARGE SCALE	Master units = 1'-0" Sub units = 12" Pos. units = 8000
	LAVBCK	BACK LAVATORY	Master units = 1'-0" Sub units = 12" Pos. units = 8000

✳= SYMBOL CONTAINS FIELD(S) FOR ASSOCIATING TEXT

ARCHITECTURAL SYMBOL LEGEND

SYMBOL	NAME	DESCRIPTION	WORKING UNITS USED TO CREATE
	LAVCOR	CORNER LAVATORY	Master units = 1'-0" Sub units = 12" Pos. units = 8000
	LAVCOU	LAVATORY IN COUNTER	Master units = 1'-0" Sub units = 12" Pos. units = 8000
	LAVDNT	DENTAL LAVATORY	Master units = 1'-0" Sub units = 12" Pos. units = 8000
	LAVHND	HANDICAPPED LAVATORY	Master units = 1'-0" Sub units = 12" Pos. units = 8000
	LAVMDM	MEDICAL MANICURE LAVATORY	Master units = 1'-0" Sub units = 12" Pos. units = 8000
	LAVSLB	SLAB TYPE LAVATORY	Master units = 1'-0" Sub units = 12" Pos. units = 8000
	LINTEL	CONCRETE BEAM BOND LINTEL	Master units = 1'-0" Sub units = 12" Pos. units = 8000
	MARBL2	MARBLE STONE PLAN VIEW	Master units = 1'-0" Sub units = 12" Pos. units = 8000
	MTLLPL	METAL LATH AND PLASTER	Master units = 1'-0" Sub units = 12" Pos. units = 8000
	MTLSHT	METAL SHEET (ALL METALS SMALL SCALE)	Master units = 1'-0" Sub units = 12" Pos. units = 8000
	ORISTB	ORIENTED STRAND BOARD	Master units = 1'-0" Sub units = 12" Pos. units = 8000
	PARTBD	PARTICLEBOARD	Master units = 1'-0" Sub units = 12" Pos. units = 8000
	PLASTC	PLASTIC FINISHES	Master units = 1'-0" Sub units = 12" Pos. units = 8000
	PLPLLS	LARGE SCALE PLASTIC ON PLYWOOD	Master units = 1'-0" Sub units = 12" Pos. units = 8000
	PLPLSS	SMALL SCALE PLASTIC ON PLYWOOD	Master units = 1'-0" Sub units = 12" Pos. units = 8000

✳= SYMBOL CONTAINS FIELD(S) FOR ASSOCIATING TEXT

ARCHITECTURAL SYMBOL LEGEND

SYMBOL	NAME	DESCRIPTION	WORKING UNITS USED TO CREATE
	PLYWLS	LARGE SCALE PLYWOOD	Master units = 1'-0" Sub units = 12" Pos. units = 8000
	PLYWSS	SMALL SCALE PLYWOOD	Master units = 1'-0" Sub units = 12" Pos. units = 8000
	RBIILS	RIGID BOARD INTERIOR INSULATED LARGE SCALE	Master units = 1'-0" Sub units = 12" Pos. units = 8000
	RBISLS	INSULATED RIGID BOARD AS SHEATHING LARGE SCALE	Master units = 1'-0" Sub units = 12" Pos. units = 8000
	RIPRAP	RIPRAP PATTERN	Master units = 1'-0" Sub units = 12" Pos. units = 8000
	ROCK	ROCK EARTHWORK PATTERN	Master units = 1'-0" Sub units = 12" Pos. units = 8000
	ROOMID ✳	ROOM IDENTIFIER	Master units = 1'-0" Sub units = 12" Pos. units = 8000
	RUBBLE	STONE RUBBLE PATTERN	Master units = 1'-0" Sub units = 12" Pos. units = 8000
	SAND	SAND PATTERN	Master units = 1'-0" Sub units = 12" Pos. units = 8000
DN	SDIRLD	STAIR DIRECTION LINE DOWN	Master units = 1'-0" Sub units = 12" Pos. units = 8000
UP	SDIRLU	STAIR DIRECTION LINE UP	Master units = 1'-0" Sub units = 12" Pos. units = 8000
	SHWRCO	CORNER SHOWER	Master units = 1'-0" Sub units = 12" Pos. units = 8000
	SHWRHD	SHOWER HEAD	Master units = 1'-0" Sub units = 12" Pos. units = 8000
	SHWROG	SHOWER OVERHEAD GANG	Master units = 1'-0" Sub units = 12" Pos. units = 8000
	SHWRPG	SHOWER PEDESTAL GANG	Master units = 1'-0" Sub units = 12" Pos. units = 8000

✳= SYMBOL CONTAINS FIELD(S) FOR ASSOCIATING TEXT

ARCHITECTURAL SYMBOL LEGEND

SYMBOL	NAME	DESCRIPTION	WORKING UNITS USED TO CREATE
	SHWRST	SHOWER STALL	Master units = 1'-0" Sub units = 12" Pos. units = 8000
SL	SLOPE	DIRECTION OF LINE SLOPE	Master units = 1'-0" Sub units = 12" Pos. units = 8000
	SNK2BD	DOUBLE SINK WITH DRAIN BOARDS	Master units = 1'-0" Sub units = 12" Pos. units = 8000
	SNK2CT	SINK TWO COMPARTMENT TYPE	Master units = 1'-0" Sub units = 12" Pos. units = 8000
	SNKCWT	CIRCULAR WASH TYPE SINK	Master units = 1'-0" Sub units = 12" Pos. units = 8000
	SNKDSP	SINK DISPOSER	Master units = 1'-0" Sub units = 12" Pos. units = 8000
	SNKFRC	FLUSHING RIM CLINICAL SINK	Master units = 1'-0" Sub units = 12" Pos. units = 8000
	SNKGEN	GENERAL SINK	Master units = 1'-0" Sub units = 12" Pos. units = 8000
	SNKKLR	KITCHEN SINK WITH LEFT AND RIGHT DRAIN BOARD	Master units = 1'-0" Sub units = 12" Pos. units = 8000
	SNKLDB	SINK WITH LEFT DRAIN BOARD	Master units = 1'-0" Sub units = 12" Pos. units = 8000
	SNKLTR	SINK LAUNDRY TRAY	Master units = 1'-0" Sub units = 12" Pos. units = 8000
	SNKSCW	SEMICIRULAR WASH SINK	Master units = 1'-0" Sub units = 12" Pos. units = 8000
	SNKSLP	SLOPE TYPE SINK	Master units = 1'-0" Sub units = 12" Pos. units = 8000
SS	SNKSRV	SERVICE SINK	Master units = 1'-0" Sub units = 12" Pos. units = 8000
	SNKSSC	SURGEON SCRUB SINK	Master units = 1'-0" Sub units = 12" Pos. units = 8000

✳= SYMBOL CONTAINS FIELD(S) FOR ASSOCIATING TEXT

ARCHITECTURAL SYMBOL LEGEND

SYMBOL	NAME	DESCRIPTION	WORKING UNITS USED TO CREATE
	STEEL	STEEL OTHER METALS PATTERN	Master units = 1'-0" Sub units = 12" Pos. units = 8000
	STLCSS	STRUCTURAL CLAY TILE SMALL SCALE	Master units = 1'-0" Sub units = 12" Pos. units = 8000
	STNSQR	SQUARED STONE PATTERN	Master units = 1'-0" Sub units = 12" Pos. units = 8000
	SUSPNT	SUSPENSION TEE	Master units = 1'-0" Sub units = 12" Pos. units = 8000
	TC1FLS	TERACOTA GLAZED ONE FACE LARGE SCALE	Master units = 1'-0" Sub units = 12" Pos. units = 8000
	TC2FSS	TERACOTA GLAZED TWO FACES SMALL SCALE	Master units = 1'-0" Sub units = 12" Pos. units = 8000
	TCBCSS	TERACOTA SMALL SCALE BRICKCOTA	Master units = 1'-0" Sub units = 12" Pos. units = 8000
	TCELEV	TERRA COTTA ELEVATION PATTERN	Master units = 1'-0" Sub units = 12" Pos. units = 8000
	TCHOLW	HOLLOW TERRA COTTA	Master units = 1'-0" Sub units = 12" Pos. units = 8000
	TCLS	LARGE SCALE TERRA COTTA	Master units = 1'-0" Sub units = 12" Pos. units = 8000
	TCQLS	TERA COTA QUARRY LARGE SCALE	Master units = 1'-0" Sub units = 12" Pos. units = 8000
	TCUGLS	TERACOTA UNGLAZED LARGE SCALE	Master units = 1'-0" Sub units = 12" Pos. units = 8000
	TCUSS	TERACOTA SMALL SCALE UNGLAZED PATTERN	Master units = 1'-0" Sub units = 12" Pos. units = 8000
	TCVENR	VENEER TERRA COTTA	Master units = 1'-0" Sub units = 12" Pos. units = 8000
	TERRZO	TERRAZZO PATTERN	Master units = 1'-0" Sub units = 12" Pos. units = 8000

✳= SYMBOL CONTAINS FIELD(S) FOR ASSOCIATING TEXT

ARCHITECTURAL SYMBOL LEGEND

SYMBOL	NAME	DESCRIPTION	WORKING UNITS USED TO CREATE
	THRSHD	THRESHOLD	Master units = 1'-0" Sub units = 12" Pos. units = 8000
	TILCER	CERAMIC TILE ELEVATION PATTERN	Master units = 1'-0" Sub units = 12" Pos. units = 8000
	TILESF	STRUCTURAL FACING TILE PATTERN	Master units = 1'-0" Sub units = 12" Pos. units = 8000
	TILFSS	SMALL SCALE TILE FACING	Master units = 1'-0" Sub units = 12" Pos. units = 8000
	TILGSC	GLAZE STRUCTURAL CLAYTILE MASONARY	Master units = 1'-0" Sub units = 12" Pos. units = 8000
	TILSFU	TILE STRUCTURAL FLOOR UNITS	Master units = 1'-0" Sub units = 12" Pos. units = 8000
	TLACOU	ACOUSTICAL TILE FINISH	Master units = 1'-0" Sub units = 12" Pos. units = 8000
	TLCRLS	CERAMICTILE FINISH LRGSCALE	Master units = 1'-0" Sub units = 12" Pos. units = 8000
	TRAY1L	SINGLE LAUNDRY TRAY	Master units = 1'-0" Sub units = 12" Pos. units = 8000
	TRAY2L	DOUBLE LAUNDRY TRAYS	Master units = 1'-0" Sub units = 12" Pos. units = 8000
	URNLCO	CORNER TYPE URINAL	Master units = 1'-0" Sub units = 12" Pos. units = 8000
	URNLPD	PEDESTAL TYPE URINAL	Master units = 1'-0" Sub units = 12" Pos. units = 8000
	URNLST	URINAL STALL	Master units = 1'-0" Sub units = 12" Pos. units = 8000
	URNLTR	TROUGH TYPE URINAL	Master units = 1'-0" Sub units = 12" Pos. units = 8000
	URNLWH	WALL HUNG URINAL	Master units = 1'-0" Sub units = 12" Pos. units = 8000

✳= SYMBOL CONTAINS FIELD(S) FOR ASSOCIATING TEXT

ARCHITECTURAL SYMBOL LEGEND

SYMBOL	NAME	DESCRIPTION	WORKING UNITS USED TO CREATE
	WALLID ✳	WALL TYPE IDENTIFIER	Master units = 1'-0" Sub units = 12" Pos. units = 8000
	WCELWH	ELECTRIC WALL HUNG WATER COOLER	Master units = 1'-0" Sub units = 12" Pos. units = 8000
	WCFVFO	F.V. FLOOR OUTLET WATERCLOSET	Master units = 1'-0" Sub units = 12" Pos. units = 8000
	WCFVWH	F.V. WALL HUNG WATERCLOSET	Master units = 1'-0" Sub units = 12" Pos. units = 8000
	WCITNK	INTEGRAL TANK WATERCLOSET	Master units = 1'-0" Sub units = 12" Pos. units = 8000
	WCTANK	TANK TYPE WATERCLOSET	Master units = 1'-0" Sub units = 12" Pos. units = 8000
	WCWHTN	WALL HUNG TANK WATERCLOSET	Master units = 1'-0" Sub units = 12" Pos. units = 8000
	WDFLBD	WOOD FLOOR BOARD	Master units = 1'-0" Sub units = 12" Pos. units = 8000
	WDFNOS	WOOD FINISH ON STUDS	Master units = 1'-0" Sub units = 12" Pos. units = 8000
	WDFRAM	CONTINUOUS WOOD FRAMING	Master units = 1'-0" Sub units = 12" Pos. units = 8000
	WDSHSD	WOOD SHINGLES SIDING	Master units = 1'-0" Sub units = 12" Pos. units = 8000
	WFINSH	WOOD FINISH	Master units = 1'-0" Sub units = 12" Pos. units = 8000
	WINAWN	WINDOW AWNING	Master units = 1'-0" Sub units = 12" Pos. units = 8000
	WINBAY	PROJECTED BAY WINDOW	Master units = 1'-0" Sub units = 12" Pos. units = 8000
	WINBOW	PROJECTED BOW WINDOW	Master units = 1'-0" Sub units = 12" Pos. units = 8000

✳= SYMBOL CONTAINS FIELD(S) FOR ASSOCIATING TEXT

ARCHITECTURAL SYMBOL LEGEND

SYMBOL	NAME	DESCRIPTION	WORKING UNITS USED TO CREATE
	WINBOX	PROJECTED BOX WINDOW	Master units = 1'-0" Sub units = 12" Pos. units = 8000
	WINDCI	DOUBLE CASEMENT WINDOW (INWARD OPENING)	Master units = 1'-0" Sub units = 12" Pos. units = 8000
	WINDCO	DOUBLE CASEMENT WINDOW (OUTWARD OPENING)	Master units = 1'-0" Sub units = 12" Pos. units = 8000
DH	WINDH	DOUBLE HUNG WINDOW	Master units = 1'-0" Sub units = 12" Pos. units = 8000
	WINFIX	FIXED 1'-0" WINDOW	Master units = 1'-0" Sub units = 12" Pos. units = 8000
	WINID ✳	WINDOW IDENTIFIER	Master units = 1'-0" Sub units = 12" Pos. units = 8000
	WINJAL	JALOUSIE WINDOW	Master units = 1'-0" Sub units = 12" Pos. units = 8000
	WINOSL	SLIDING WINDOW LEFT OPERATING SASH	Master units = 1'-0" Sub units = 12" Pos. units = 8000
	WINOSR	SLIDING WINDOW RIGHT OPERATING SASH	Master units = 1'-0" Sub units = 12" Pos. units = 8000
	WINPIV	PIVOT WINDOW	Master units = 1'-0" Sub units = 12" Pos. units = 8000
	WINSCL	WINDOW SINGLE CASEMENT LEFT JAMB HINGED	Master units = 1'-0" Sub units = 12" Pos. units = 8000
	WINSCR	WINDOW SINGLE CASEMENT RIGHT JAMB HINGED	Master units = 1'-0" Sub units = 12" Pos. units = 8000
SH	WINSH	SINGLE HUNG WINDOW	Master units = 1'-0" Sub units = 12" Pos. units = 8000
	WOODHB	HARDBOARD WOOD	Master units = 1'-0" Sub units = 12" Pos. units = 8000
	WSHRBP	BEDPAN WASHER	Master units = 1'-0" Sub units = 12" Pos. units = 8000

✳= SYMBOL CONTAINS FIELD(S) FOR ASSOCIATING TEXT

ARCHITECTURAL SYMBOL LEGEND			
SYMBOL	NAME	DESCRIPTION	WORKING UNITS USED TO CREATE
————	WTRPFF	WATERPROOFING FELT FLASHING	Master units = 1'-0" Sub units = 12" Pos. units = 8000

✳= SYMBOL CONTAINS FIELD(S) FOR ASSOCIATING TEXT