12 Fire Suppression Lines Library

		
Fire Suppression: MANPRV PRIVATE WATER MAIN Element Type: Line	Fire Suppression: MANPUB PUBLIC WATER MAIN Element Type: Line	Fire Suppression: MANSUC SUCTION MAIN Element Type: Line
Fire Suppression: MANUND WATER MAIN UNDER BLDG Element Type: Line	Fire Suppression: PNTUBE PNEUMATIC TUBE RUNS Element Type: Line	Fire Suppression: SMKBAR SMOKE BARRIER Element Type: Line
Fire Suppression: SPRINK MAIN SUPPLY SPRINKLER Element Type: Line	Fire Suppression: STDCOM STANDPIPE COMBINATION Element Type: Line	Fire Suppression: STDDRY DRY STANDPIPE Element Type: Line



Fire Suppression: STDWET
WET STANDPIPE
Element Type: Line

12 Fire Suppression Symbols Library

		
Fire suppression: ABORT ABORT SWITCH Element Type: Symbol	Fire suppression: ACCESS FIRE DEPARTMENT ACCESS Element Type: Symbol	Fire suppression: AFFAAP FIREALARM ANNUNCIATOR Element Type: Symbol
		
Fire suppression: AFFARP FIRE ALARM RESET PANEL Element Type: Symbol	Fire suppression: AFFAVC FIRE ALARM VOICE COMM Element Type: Symbol	Fire suppression: AFFDAP FIRE DEPARTMENT ACCESS Element Type: Symbol
		
Fire suppression: AFFDKB FIRE DEPARTMENT KEY BO Element Type: Symbol	Fire suppression: AFSCPP SMOKE CONTROL PRESS PA Element Type: Symbol	Fire suppression: AFSSWF SPRNKLR SYS WATER FLOW Element Type: Symbol

		
Fire suppression: AGSTCN AGENT STORAGE CONTAINE Element Type: Symbol	Fire suppression: BELL BELL GONG Element Type: Symbol	Fire suppression: BOILER BOILER Element Type: Symbol
		
Fire suppression: CHIMNY CHIMNEY Element Type: Symbol	Fire suppression: CO2AA C02 AUTO ACTUATED EXNG Element Type: Symbol	Fire suppression: CO2MA C02 MAN ACTUATED EXTNG Element Type: Symbol
		
Fire suppression: CONSFS FREESTNDNG SIAMESE F.D Element Type: Symbol	Fire suppression: CONSIA SIAMESE FIRE DPT CONNE Element Type: Symbol	Fire suppression: CONSNG SINGLE FIRE DPT. CONNE Element Type: Symbol

		
Fire suppression: CPESR ELEVATOR STATUS RECALL Element Type: Symbol	Fire suppression: CPFAC FIRE ALARM COMMUNICATO Element Type: Symbol	Fire suppression: CPFCP FIRE ALARM CONTROL PAN Element Type: Symbol
		
Fire suppression: CPFSA FIRE SYSTEM ANNUNCIATOR Element Type: Symbol	Fire suppression: CPFTR FIREALARM TRANSPONDR X Element Type: Symbol	Fire suppression: CPHCP HALON CONTROL PANEL Element Type: Symbol
		
Fire suppression: CPHVA CONTROL PANEL HVAC Element Type: Symbol	Fire suppression: DCATAA ALLTYPE FIREEXTNGSHRAU Element Type: Symbol	Fire suppression: DCATMA ALLTYPE FIREEXTNGSHR M Element Type: Symbol

		
Fire suppression: DCEABC DRY CHEM EXTNGSHR ABC Element Type: Symbol	Fire suppression: DCECO2 C02 EXTINGUISHER Element Type: Symbol	Fire suppression: DCEBC DRY CHEM EXTNGUISHR BC Element Type: Symbol
		
Fire suppression: DCEHLN HALON OR CLEANAGENTEXT Element Type: Symbol	Fire suppression: DCLGAA DRY CHEM AUTO ACT EXTN Element Type: Symbol	Fire suppression: DCLGMA DRY CHEM MAN ACTUATED Element Type: Symbol
		
Fire suppression: DECO2 C02 SYSTEM Element Type: Symbol	Fire suppression: DEDRYC DRY CHEMICAL SYSTEM Element Type: Symbol	Fire suppression: DEDUCT DUCT DETECTOR Element Type: Symbol

		
Fire suppression: DEFLOW FLOW SWITCH WATER Element Type: Symbol	Fire suppression: DEFOAM FOAM SYSTEM Element Type: Symbol	Fire suppression: DEHALN HALON SYSTEM Element Type: Symbol
		
Fire suppression: DEHEAT HEAT DETECTOR Element Type: Symbol	Fire suppression: DEPULL MANUAL PULL STATION Element Type: Symbol	Fire suppression: DESMOK SMOKE DETECTOR Element Type: Symbol
		
Fire suppression: DETAMP TAMPER SWITCH Element Type: Symbol	Fire suppression: DEWETC WET CHEMICAL SYSTEM Element Type: Symbol	Fire suppression: DMPBAR BAROMETRIC DAMPER Element Type: Symbol

		
Fire suppression: DMPFIR FIRE DAMPER Element Type: Symbol	Fire suppression: DMPFS FIRE SMOKE DAMPER Element Type: Symbol	Fire suppression: DMPSMK SMOKE DAMPER Element Type: Symbol
		
Fire suppression: DTFLAM FLAME FICKER DETECTOR Element Type: Symbol	Fire suppression: DTFLOW FLOW SWITCH DETECTOR Element Type: Symbol	Fire suppression: DTGAS GAS DETECTOR Element Type: Symbol
		
Fire suppression: DTLEVL LEVEL DETECTOR SWITCH Element Type: Symbol	Fire suppression: DTPRES PRESSURE DETECTOR SWIT Element Type: Symbol	Fire suppression: DTTAMP TAMPER DETECTOR Element Type: Symbol

		
Fire suppression: ELBP1L 1LAMP EMRGNCY LGHTBTTR Element Type: Symbol	Fire suppression: ELBP2L 2LAMP EMRGNCY LGHTBTTR Element Type: Symbol	Fire suppression: ELBP3L 3LAMP EMRGNCY LGHTBTTR Element Type: Symbol
		
Fire suppression: ELCSH ELEVATOR INCOMBUSTIBLE Element Type: Symbol	Fire suppression: ELNCSH ELEVATOR INNONCMBSTBLS Element Type: Symbol	Fire suppression: EPSACC EMERG PHONE STAT ACCES Element Type: Symbol
		
Fire suppression: EPSHND EMERG PHONE STATION HA Element Type: Symbol	Fire suppression: EPSJCK EMERG PHONE STATION JA Element Type: Symbol	Fire suppression: ESCAPE FIRE ESCAPE Element Type: Symbol

		
Fire suppression: ESCLTR ESCALATOR Element Type: Symbol	Fire suppression: EXFOAM FOAM EXTINGUISHER Element Type: Symbol	Fire suppression: EXIT1 LUMINATD EXIT SIGN SNG Element Type: Symbol
		
Fire suppression: EXIT2 LUMINATD EXIT SIGN DBL Element Type: Symbol	Fire suppression: EXWATR WATER EXTINGUISHER Element Type: Symbol	Fire suppression: FANDCT DUCT FAN Element Type: Symbol
		
Fire suppression: FANGEN GENERAL FAN Element Type: Symbol	Fire suppression: FANWAL WALL FAN Element Type: Symbol	Fire suppression: FDOR3 3HR RATED FIRE DOOR IN Element Type: Symbol

		
Fire suppression: FDORL3 WALL W 3 HOUR RATED DO Element Type: Symbol	Fire suppression: FFEGEN FIRE FIGHTING EQPMNT G Element Type: Symbol	Fire suppression: FPDRIV FIRE PUMP W DRIVES Element Type: Symbol
		
Fire suppression: FPFREE FIRE PUMP FREE STANDIN Element Type: Symbol	Fire suppression: FPTEST FIRE PUMP TEST HEADER Element Type: Symbol	Fire suppression: FRR1HR 1 HR FIRE RESISTANCE R Element Type: Symbol
		
Fire suppression: FRR2HR 2 HR FIRE RESISTANCE R Element Type: Symbol	Fire suppression: FRR3HR 3 HR FIRE RESISTANCE R Element Type: Symbol	Fire suppression: FRR4HR 4 HR FIRE RESISTANCE R Element Type: Symbol

Origin / Insert pt 	Origin / Insert pt 	Origin / Insert pt 
Fire suppression: FSASCS SIAMESE SPRINKLER CONN Element Type: Symbol	Fire suppression: FSASCV AUTO SPRINKLER CONTROL Element Type: Symbol	Fire suppression: FSCASS COMBINED SPRINK PIPE C Element Type: Symbol
Origin / Insert pt 	Origin / Insert pt 	Origin / Insert pt 
Fire suppression: FSDA DIRECTIONAL ARROW Element Type: Symbol	Fire suppression: FSDDA DIAGONAL DIRECT ARROW Element Type: Symbol	Fire suppression: FSEPS ELECTRICAL PANEL OR SH Element Type: Symbol
Origin / Insert pt	Origin / Insert pt 	Origin / Insert pt 
Fire suppression: FSFEXT FIRE EXTINGUISHER Element Type: Symbol	Fire suppression: FSFFHS FIREFGHTNGHOSE STNDPPO Element Type: Symbol	Fire suppression: FSFHYD FIRE HYDRANT ALL TYPES Element Type: Symbol

		
Fire suppression: FSGSV GAS SHUTOFF VALVE Element Type: Symbol	Fire suppression: FSSC FIREDEPT STANDARD PIPE Element Type: Symbol	Fire suppression: FULLSS FULLY SPRINKLERED SPAC Element Type: Symbol
		
Fire suppression: GUAEE ACCESSIBLE EMERGENCY E Element Type: Symbol	Fire suppression: GUAEER ACCESSIBLE EMERGENCY E Element Type: Symbol	Fire suppression: GUEE EMERGENCY EXIT Element Type: Symbol
		
Fire suppression: GUEER EMERGENCY EXIT ROUTE Element Type: Symbol	Fire suppression: GUELEV DONOTUSEELEVATORINCASE Element Type: Symbol	Fire suppression: GUNOEX NOT AN EXIT Element Type: Symbol

		
Fire suppression: GUNOSM NO SMOKING Element Type: Symbol	Fire suppression: GUSTR1 USE STAIRS IN CASE OF Element Type: Symbol	Fire suppression: GUSTR2 USE STAIRS IN CASE OF Element Type: Symbol
		
Fire suppression: HDCOMB COMBINATION HEAT DETEC Element Type: Symbol	Fire suppression: HDFTMP FIXED TEMP HEAT DETECT Element Type: Symbol	Fire suppression: HDRC RATE COMPNSTN HEAT DET Element Type: Symbol
		
Fire suppression: HDROR RATE OF RISE HEAT DETE Element Type: Symbol	Fire suppression: HLNAA AUTO ACT HALON EXTINGU Element Type: Symbol	Fire suppression: HLNMA MAN ACT HALON EXTNGSHR Element Type: Symbol

		
Fire suppression: HOSECS HOSE STATION CHRGD STN Element Type: Symbol	Fire suppression: HOSEDS HOSE STATION DRY STAND Element Type: Symbol	Fire suppression: HRN1A ONE ASSEMBLY HORN LIGH Element Type: Symbol
		
Fire suppression: HRNMIN MINI HORN Element Type: Symbol	Fire suppression: HRNSA SEPARATE ASSEMBLY HORN Element Type: Symbol	Fire suppression: HRNSPK SPEAKER HORN ELECTRIC Element Type: Symbol
		
Fire suppression: HYDPR1 PRIV HYDRANT 1 HOSE OU Element Type: Symbol	Fire suppression: HYDPR2 PRIVATE HOUSED HYDRANT Element Type: Symbol	Fire suppression: HYDPU2 PUBLIC TWO HOSE OUTLET Element Type: Symbol

		
Fire suppression: HYDPUP PUBHYDRNT2HOSOUTLTPMPC Element Type: Symbol	Fire suppression: HYDW2H WALL HYDRANT 2 HOSE OU Element Type: Symbol	Fire suppression: LIGHT LIGHT Element Type: Symbol
		
Fire suppression: METER METER Element Type: Symbol	Fire suppression: MNCHRG MONITOR NOZZLE CHARGED Element Type: Symbol	Fire suppression: MNDRY MONITOR NOZZLE DRY Element Type: Symbol
		
Fire suppression: MSCO2 MAN CARBON DIOXIDE STA Element Type: Symbol	Fire suppression: MSDRYC MANUAL DRY CHEMICAL ST Element Type: Symbol	Fire suppression: MSFOAM MANUAL FOAM STATION Element Type: Symbol

		
Fire suppression: MSHALN MANUAL HALON STATION Element Type: Symbol	Fire suppression: MSPULL MANUAL PULL STATION Element Type: Symbol	Fire suppression: MSWETC MANUAL WET CHEMICAL ST Element Type: Symbol
		
Fire suppression: NONSS NONSPRINKLERED SPACE Element Type: Symbol	Fire suppression: OPENHY OPEN HOISTWAY Element Type: Symbol	Fire suppression: PARTSS PARTIALLY SPRINKLERED Element Type: Symbol
		
Fire suppression: PRSTR PRESSURIZED STAIRWELL Element Type: Symbol	Fire suppression: PURGE MANUAL PURGE CONTROL Element Type: Symbol	Fire suppression: RISER RISER Element Type: Symbol

		
Fire suppression: RMAIRC AIR CONDITIONING EQUIP Element Type: Symbol	Fire suppression: RMBOIL BOILER ROOM Element Type: Symbol	Fire suppression: RMELEC ELECTRICAL TRANSFORMER Element Type: Symbol
		
Fire suppression: RMELEV ELEVATOR EQUIPMENT ROO Element Type: Symbol	Fire suppression: RMGEN EMERGENCY GENERATOR RO Element Type: Symbol	Fire suppression: RMPHON TELEPHONE EQUIPMENT RO Element Type: Symbol
		
Fire suppression: RMPUMP FIRE PUMP ROOM Element Type: Symbol	Fire suppression: RSCO2 C02 REEL STATION Element Type: Symbol	Fire suppression: RSDRYC DRY CHEMICAL REEL STAT Element Type: Symbol

		
Fire suppression: RSFOAM FOAM REEL STATION Element Type: Symbol	Fire suppression: SDBR BEAM RECEIVER SMOKE DE Element Type: Symbol	Fire suppression: SDBT BEAM TRANSMITTER SMOKE Element Type: Symbol
		
Fire suppression: SDION IONIZATION SMOKE DETEC Element Type: Symbol	Fire suppression: SDPHO PHOTOELECTRIC SMOKE DE Element Type: Symbol	Fire suppression: SHGARD SPRINKLER HEAD W GUARD Element Type: Symbol
		
Fire suppression: SHNUU NIPPLED UP UPRIGHT SPR Element Type: Symbol	Fire suppression: SHOUT OUTSIDE SPRINKLER HEAD Element Type: Symbol	Fire suppression: SHPEND PENDENT SPRINKLER HEAD Element Type: Symbol

		
Fire suppression: SHPNDN PENDENTSPRNKLRHEADDROP Element Type: Symbol	Fire suppression: SHSIDE SIDEWALL SPRINKLER HEA Element Type: Symbol	Fire suppression: SHUPRT UPRIGHT SPRINKLER HEAD Element Type: Symbol
		
Fire suppression: SKYLIT SKYLIGHT Element Type: Symbol	Fire suppression: SSNOZZ SPECIAL SPRAY NOZZLE Element Type: Symbol	Fire suppression: STRCS STAIR IN COMBUSTIBLE S Element Type: Symbol
		
Fire suppression: STRFRS STAIR IN FIRE RATED SH Element Type: Symbol	Fire suppression: STROS STAIRS IN OPEN SHAFT Element Type: Symbol	Fire suppression: THRUST THRUST BLOCK Element Type: Symbol



Fire suppression: TNKBG
TANK BELOW GROUND
Element Type: Symbol



Fire suppression: TNKHAG
HORIZ ABOVE GROUND TAN
Element Type: Symbol



Fire suppression: TNKVAG
TANK VERTICAL ABOVE GR
Element Type: Symbol



Fire suppression: USDWS
DOMESTIC WATER SHUTOFF
Element Type: Symbol



Fire suppression: USELEC
ELECTRIC SHUTOFF
Element Type: Symbol



Fire suppression: USGAS
GAS SHUTOFF
Element Type: Symbol



Fire suppression: USLPGS
LP GAS SHUTOFF
Element Type: Symbol



Fire suppression: USNGAS
NATURAL GAS SHUTOFF
Element Type: Symbol



Fire suppression: VLVCHA
ALARM CHECK VALVE
Element Type: Symbol

		
Fire suppression: VLVCHK CHECK VALVE Element Type: Symbol	Fire suppression: VLVDEL DELUGE VALVE Element Type: Symbol	Fire suppression: VLVDRY DRY PIPE VALVE Element Type: Symbol
		
Fire suppression: VLVIBF INDICATING BUTTERFLY V Element Type: Symbol	Fire suppression: VLVKEY KEY OPERATED VALVE Element Type: Symbol	Fire suppression: VLVNON VALVE NONRISING STEM Element Type: Symbol
		
Fire suppression: VLVOSY OS Y VALVE Element Type: Symbol	Fire suppression: VLVPI POST INDICATOR VALVE Element Type: Symbol	Fire suppression: VLVPIT VALVE IN PIT Element Type: Symbol

		
Fire suppression: VLVPRE PREACTION VALVE Element Type: Symbol	Fire suppression: VLVQOD VALVE W QUICK OPENNG D Element Type: Symbol	Fire suppression: VLVTDS VALVE TAMPERDETECTION Element Type: Symbol
		
Fire suppression: VNTOPN VENTILATION OPENINGS Element Type: Symbol	Fire suppression: WALARM WATER MOTOR ALARM Element Type: Symbol	Fire suppression: WBDSMA WATER BASED DRY SYS MA Element Type: Symbol
		
Fire suppression: WBDSSA WATERBASED DRY SYS AUT Element Type: Symbol	Fire suppression: WBFSAA WATR BASED FOAM SYS AU Element Type: Symbol	Fire suppression: WBFSMA WATR BASED FOAM SYS MA Element Type: Symbol

		
Fire suppression: WBWSAA WATERBASED WET SYS AUT Element Type: Symbol	Fire suppression: WBWSMA WATER BASED WET SYS MA Element Type: Symbol	Fire suppression: WWDRFT DRAFTING SITE Element Type: Symbol
		
Fire suppression: WWFDC FIRE DEPARTMENT CONNEC Element Type: Symbol	Fire suppression: WWFHYD FIRE HYDRANT Element Type: Symbol	Fire suppression: WWHEAD TEST HEADER FIRE PUMP Element Type: Symbol
		
Fire suppression: WWHOSE HOSE CABINET OR CONNEC Element Type: Symbol	Fire suppression: WWPIV POST INDICATOR VALVE Element Type: Symbol	Fire suppression: WWRISR RISER VALVE Element Type: Symbol

		
Fire suppression: WWSZON SPRINKLER ZONE VALVE Element Type: Symbol	Fire suppression: WWTEST INSPECTORS TEST CONNEC Element Type: Symbol	Fire suppression: WWWHYD WALL HYDRANT Element Type: Symbol